



### How to install Artologik ProjectManager 3

---

**WARNING:** This program is protected by copyright law and international treaties. Unauthorized reproduction or distribution of this program, or any portion of it, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

---

During installation, the set-up program will give you detailed information on which information is required. If you want further information, you will find it in the FAQ in the Installation section at the Artologik web site: [www.artologik.net](http://www.artologik.net).

**Please Note:** You must be working at the computer you wish to install the software on. You can make a remote installation e.g. through a VNC or a Terminal Server.

To install the program you need administrator rights on the computer. Additionally, a web server must be installed on the computer. The web server software that we recommend is IIS 4 (or later versions) or any type that can handle CGI scripts, e.g. Apache Web Server for Windows.

The operative system on the web server should be Windows NT 4, Windows 2000 or Windows Server 2003.

If you are using Windows Server 2003 you need to do some additional settings, for instructions see separate document.

It is strongly recommended that you exit all Windows programs before running the set-up program. Click Cancel to quit the set-up and close any programs you have running. Open the installation program once more and click Next to continue the set-up program.

### 1. Select Installation Language

The installation instructions will be displayed in the language you select. For the software Artologik TIME and ProjectManager, the language you select for the installation will also determine the language of the default reports displayed in the software.

### 2. License Agreement for ProjectManager

To install ProjectManager you must agree to the terms of the license agreement. Click Accept to accept the license agreement and continue the set-up. Decline if you do not accept the license agreement and abort the set-up. You will find the license agreement enclosed with this document (Enclosure no 1).

### 3. Existing Artologik Database

If you already have an Artologik software installed, you can only connect this new ProjectManager installation to the existing Artologik database if the Artologik products have the same version number (3.x).

If the Artologik software has version number 2.x or earlier you cannot make a co-installation.

Please note that if you install your Artologik Softwares with separate databases, you must also select separate installation directories. To create a new directory you must exit the set-up program.

You will be asked if you want to install ProjectManager to an existing database. Select Yes to use the same database. If your other Artologik product is a no. 2 version (or earlier) you have to make separate installations.

Co-installations are necessary in order to coordinate login routines and user directories between different Artologik products.

#### **4. Select Destination Location**

The set-up program suggests a destination directory for the installation of ProjectManager. If you want to install the program into a different directory, click Browse and select the directory where you want to install it. You can choose not to do the installation by clicking Cancel and exit the set-up program. For security and practical reasons the program file should not be placed under the webroot of the web server.

(e.g. c:\inetpub\wwwroot\).

#### **5. Select Type of Database**

If you do not have any other Artologik products or if you want to use another type of database you select the type of database here. Demo examples can only be selected for Microsoft Access. Note: Demo examples should not be installed in a Freeware version since it contains more users than the Freeware license allows.

You can use Microsoft Access, Microsoft SQL Server, PostgreSQL or Oracle. Select the alternative you prefer. If you choose to install with Microsoft Access you can do the installation with or without demo examples. (You can choose to have demo examples in your installation. The demo examples are fiction data about organizations, users and information in the software. They work as examples to make it easier to get a picture of how to work the software.) If you choose Access with demo examples you will in the next step be asked to select language for the demo examples (English, German, French or Swedish).

**Note:** If you select any other database than Microsoft Access, the database must already be located on the database server. Additionally, you will need a connection, a System DSN, between the web server of the computer you are installing the program on and the database. The database connection uses ODBC. An ODBC is created automatically for Access, but the database connection for the other databases has to be created manually in the control panel. If you do not have a database or a database connection prepared, you must exit the set-up program and do this.

## Database Connection

1. In Windows 2000 and 2003 you create a database connection in the start menu; Start/ Settings/ Control Panel/ Administrative Tools/ Data Sources (ODBC). In Windows NT you will find the ODBC in the Control panel; Start/ Settings/ Control Panel/ ODBC.
2. On the tab System DSN you click Add and then select the driver you want to connect the data source to.
3. Click Finish and enter in the new window: Name of data source, Description and which server the database is placed in (that you want to connect to).
4. Select SQL server authentication and state the Database User and Password for the database on the MS SQL server. This user must be a DBO (database owner). Do not use the "sa-user" for this connection. If you do not have this information, please contact the person responsible for the computer network of your organization.
  - For PostgreSQL you state the User name and Password instead.
  - For Oracle you state the Server name and UserID.
5. If the right database is not indicated as the standard database, select another name. Then click Next until you reach the Finish button. Click the button and test the connection.
6. Open the set-up file again and enter the information for the new database under the heading Database Information.

If you use the Access database the ODBC is created automatically, providing there are correct ODBC drivers. If not, you must exit the set-up program and install MDAC2.5 (or later versions ) on the computer before you can continue the Artologik installation. You can download the latest ODBC drivers from [www.microsoft.com](http://www.microsoft.com).

## 6. Database Information

If you select Access as the type of database:

- State a name for the data source, i.e. which System DSN to be used. A connection to the database (a System DSN) with this name will be created.

The set-up program suggests "Artologik" as the name of this System DSN. You can use this name for the first Artologik installation, but if you install several Artologik programs, you have to change this name on the other installation.

If you select any other type of database:

- Indicate which data source (System DSN) to use and the user name and password for the ODBC connection.

## 7. State Language for Demo Examples

If you have chosen to install with Microsoft Access, with demo examples, you will now be asked to select a language for the demo examples. Select English, German, French or Swedish.

## 8. Web Address

Indicate the web address (URL) on which Artologik is located. (The address indicated here must be an address to this web server.)

You must indicate the directory for which the program is located on the web site. For example:

`http://www.domainname.com/directory`

**Note!** You cannot end the name with a slash (/).

Keep this address noted because this is where you navigate to log in and use the software. If you do not know the domain name of the server, you can indicate the IP number instead. To run the program for a test limited to your own computer, you can use the address: `http://127.0.0.1/your_directory`.

## 9. Web Server Set-up

If you are using Microsoft Personal Web server or Microsoft Internet Information Server, you can let the set-up program map the directories automatically. If you want to locate the program on the web server root (e.g.: `http://www.domainname.com`) or use another web server than IIS, e.g. Apache Web Server, you must do the mapping manually. (See Enclosure no 2)

If you are using Windows Server 2003, you need to make further settings, see special document.

## 10. Start Set-up

You are now ready to install ProjectManager. Click Next to start set-up. A message will inform you when ProjectManager has been installed.

## 11. Finish Installation

Click Finish to complete set-up.

After the installation you will be sent directly to the address where the program has been mapped. A browser will be opened automatically and you will enter the login site of the program.

The following is temporary login information for ProjectManager. Log in with:

User Name: admin

Password: adminmaster

Be sure to change the password later on!

Notice! If you make an upgrade, you must use your own login accounts, the same as you used before the upgrade.

## **12. Registration**

In order to make the program work for more than five days, you must run the registration program. This program will be e-mailed to you as soon as you register. If you cannot open e-mail containing EXE files, you can log in to <http://www.artologik.net> and get the key from there.

## **13. Uninstallation**

If you would like to relocate the program and install it somewhere else in the network, you must uninstall the program before installing it again. Always make a copy of the database before you start. To uninstall in Windows 2000, Windows NT and Windows Server 2003, you enter the Start menu and select Settings and then Control Panel. Open Add/Remove Programs. Select the program you want to remove and click Add/Remove. Select automatic removal, click Finish and wait until the operation is completed.

Then make a new installation where you want it and save the copy on the database. In Access, you only have to exchange the file in the directory Database and on the SQL server you can run a restore of your database copy, or simply redirect the database connection to the former database. Remember to change the database information in the directory, as well.

The Artologik products can be located on a web site with anything from total to very restricted access. See Enclosure 3 of this document to study four different login procedures, which you can use when you integrate ProjectManager into the network of your organization.

We hope you enjoy Artologik ProjectManager!

---

## **Enclosure no 1**

Artisan Global Software License Agreement for the Artologik Software series

PLEASE READ THIS LICENSE CAREFULLY BEFORE USING THIS SOFTWARE. BY INSTALLING THIS SOFTWARE, YOU ACKNOWLEDGE THAT YOU HAVE READ THIS AGREEMENT, UNDERSTAND IT, AND AGREE TO BECOME BOUND BY ITS TERMS AND CONDITIONS.

## **Copyright & Proprietary Information**

The enclosed software (the "Software") is the property of Artisan Global Software ("Artisan Global Software"). As copyrighted and trademarked material, it is protected by international copyright and trademark laws and treaties, and international trade provisions. Your purchase or trial use of the disks, CD's or other media containing the Software transfers no title to the Software itself. Instead, any use of such Software must be made in accordance with the terms of this License Agreement. Artisan Global Software reserves all rights not specifically granted herein. Your rights and obligations under this License Agreement are set forth below. If you violate such obligations, this License Agreement and your right to use the Software terminate immediately.

## **Permitted Uses of a Trial License**

If this License is a trial license, Artisan Global Software grants you the singular right to use the Software on a single computer and only for your own internal evaluation purposes. The limitations on the number of users for evaluation purposes is set forth in the license key.

## **Prohibited Uses of a Trial License**

You may not, and you may not authorize anyone else to: (i) sell, rent, lend, assign, sublicense or transfer the Software or your rights hereunder; (ii) reverse engineer, disassemble, decompile, or make any attempt to discover the source code of the Software; (iii) make any copy of all or a part of the Software other than one copy (including all copyright, trademark and proprietary rights notices thereon) for backup purposes only and such copy shall constitute "Software" under this License; (iv) exceed any limits indicated on the license key of this License in either the number of licensed users or in duration of the license; or (v) prevent, alter or interfere with the display of any copyright, trademark, or proprietary right notice or Artisan Global Software logo incorporated in the Software or included with materials.

## **Permitted Uses of a Purchased License**

Under this License, Artisan Global Software grants you the right, for up to the total number of users or other restriction for the license, indicated on the Software's license key, to: (i) use the Software on only one computer at a time and only for your internal business purposes; (ii) use the Software on only one Internet Domain name at a time and only for your internal business purposes; (iii) make one copy of the Software (including all copyright, trademark and proprietary rights notices thereon) for backup purposes only and such copy shall constitute "Software" under this License; and (iv) transfer the Software and documentation, including a copy of this License, to another person who agrees to become bound by the terms and conditions of this License and notifies Artisan Global Software in writing of the transfer, in which event all of your rights hereunder shall end.

## **Prohibited Uses of a Purchased License**

You may not, and you may not authorize anyone else to: (i) operate the Software or any copy thereof on more than one computer at any time; (ii) use the Software on more than

one Internet Domain name at a time and only for your internal business purposes; (iii) sell, rent, lend, assign, sublicense or transfer the Software or your rights hereunder except as expressly provided in this License; (iv) electronically transfer the Software from one computer to another (unless you obtain separate licenses from Artisan Global Software for each of the machines using the Software); (v) reverse engineer, disassemble, decompile, or make any attempt to discover the source code of the Software; (vi) make any copy of all or a part of the Software other than the one backup copy permitted above; (vii) exceed any limits indicated on the license key of this License in either the number of licensed users or in duration of the license; or (viii) prevent, alter or interfere with the display of any copyright, trademark, or proprietary right notice or Artisan Global Software logo incorporated in the Software or included with materials.

## **Termination**

You may terminate this License at any time by discontinuing all use of the Software and destroying it and all copies thereof.

## **Limited Warranty and Liability**

When the Software is furnished on CDs or via the Internet, and only with respect to a purchased license, Artisan Global Software warrants the media to be free from defects in materials and workmanship under normal use for a period of sixty (60) days from the date of delivery to you as evidenced by your registration with Artisan Global Software, which must occur within ten (10) days of opening the media package. Any replacement software will be warranted for the rest of the sixty (60) day period or for thirty (30) days from the date you receive the replacement, whichever is longer. Artisan Global Software's entire liability and your exclusive remedy shall be, at Artisan Global Software's option, either (a) to return the price paid or (b) to repair or replace the Software. This Limited Warranty is void if failure of the Software has resulted from accident, abuse, or misapplication.

## **Disclaimer of Warranties**

THE SOFTWARE AND ASSOCIATED DOCUMENTATION ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR ANY PARTICULAR PURPOSE, OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE SOFTWARE AND DOCUMENTATION IS WITH YOU. ARTISAN GLOBAL SOFTWARE DOES NOT WARRANT THAT THE SOFTWARE WILL MEET YOUR REQUIREMENTS OR THAT THE OPERATION OF THE SOFTWARE WILL BE UNINTERRUPTED OR ERROR FREE, OR THAT DEFECTS IN THE SOFTWARE WILL BE CORRECTED. SOME COUNTRIES DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO THE ABOVE EXCLUSION MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS, WHICH VARY FROM COUNTRIES TO COUNTRIES.

## **Limitations of Warranty**

IN NO EVENT SHALL ARTISAN GLOBAL SOFTWARE OR ANY SUPPLIER OR ANY OTHER PERSON INVOLVED IN THE CREATION, PRODUCTION, OR DISTRIBUTION

OF THE SOFTWARE BE LIABLE TO YOU ON ACCOUNT OF ANY CLAIM FOR ANY SPECIAL EXEMPLARY OR PUNITIVE DAMAGES, INCLUDING ANY LOST PROFITS, LOST SAVINGS, BUSINESS INTERRUPTION, LOSS OF BUSINESS OR PERSONAL INFORMATION OR ANY OTHER INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE, THE INABILITY TO USE, QUALITY, OR PERFORMANCE OF THE ARTISAN GLOBAL SOFTWARE SOFTWARE AND DOCUMENTATION, EVEN IF ARTISAN GLOBAL SOFTWARE, OR AN AUTHORIZED REPRESENTATIVE OF ARTISAN GLOBAL SOFTWARE, HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. BECAUSE SOME COUNTRIES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, THE ABOVE LIMITATIONS MAY NOT APPLY TO YOU.

## **General**

All updates or new versions of the Software which may be received by you from Artisan Global Software without accompanying licenses shall also be governed by this License. This License Agreement shall be construed, interpreted and governed by the laws of Sweden. If any provision of this License is found void or unenforceable, it will not affect the validity of the rest of this License Agreement.

Artologik is a registered trademark for Artisan Global Software

-----

## **Enclosure no 2**

### **Manual Mapping**

If you want to do the mapping of the directory manually, you do this in Start/ Settings/ Control Panel/ Administrative Tools/ Internet Information Service /Internet Services

1. Go to the location where you want to place the files.
2. Right-click and select New Virtual Directory, click Next.
3. State alias, for instance Artologik, and click Next.
4. Find the directory, select it and click Next.
5. Enter the Permission Level, click Next and then Finish.
6. Repeat step 1-5 for every directory you want to map.
7. To modify a path, right click on the folder and select Properties. In the field Local path, browse to the correct folder and click OK when done.

Information about the level of Web permission that is needed for the directories of all Artologik products can be found on [www.artologik.net](http://www.artologik.net).

## Mapping instructions for programs on the web server

### ProjectManager

Physical directory	Virtual directory	Web permission
<Artologik installdir>/Artologik/wwwroot	<Artologik path>	(Read)
<Artologik installdir>/Artologik/cgi-bin	<Artologik path>/cgi-bin	(Execute)
<Artologik installdir>/Artologik/applets	<Artologik path>/applets	(Read)
<Artologik installdir>/Artologik/stylesheets	<Artologik path>/stylesheets	(Read)
<Artologik installdir>/Artologik/utilities	<Artologik path>/utilities	(Read)
<Artologik installdir>/pm/wwwroot	<Artologik path>/pm	(Read)
<Artologik installdir>/pm/cgi-bin	<Artologik path>/pm/cgi-bin	(Execute)
<Artologik installdir>/pm/images	<Artologik path>/pm/images	(Read)
<Artologik installdir>/pm/applets	<Artologik path>/pm/applets	(Read)
<Artologik installdir>/pm/documents	<Artologik path>/pm/documents	(Read)
<Artologik installdir>/Artologik/excelfiles	<Artologik path>/pm/excelfiles	(Read)
<Artologik installdir>/pm/stylesheets	<Artologik path>/pm/stylesheets	(Read)

<Artologik installdir> is the directory where Artologik was installed, e.g.  
C:\inetPub\Artologik\

<Artologik path> is the virtual path that was set during the installation, e.g.  
http://127.0.0.1/PM or http://127.0.0.1

## Directory Permission

The level of permissions is inherited and most of the times this will be OK for the Artologik installation. If you encounter problems, we recommend you to check the level of permissions in the Artologik directory. Make sure that the permissions for the Internet user follows the Artologik instructions that the table below describes.

Below are the permissions that must be set for the Internet user on the directories, to make the program work properly. The files in the directory need to have the same level of rights as the directory itself. The files in the directories must have the same permission as the directories.

### ProjectManager

Directory	Permission	Advanced Permission
<Artologik installdir>/database	(CHANGE)	(RWXD) (RWD)
<Artologik installdir>/Artologik/wwwroot	(READ)	(RX) (R)
<Artologik installdir>/Artologik/cgi-bin	(READ)	(RX) (RX)

<Artologik installdir>/Artologik/plugin	(READ)	(RX) (RX)
<Artologik installdir>/Artologik/applets	(READ)	(RX) (R)
<Artologik installdir>/Artologik/logs	(CHANGE)	(RWXD) (RWD)
<Artologik installdir>/Artologik/excelfiles	(CHANGE)	(RWXD) (RWD)
<Artologik installdir>/Artologik/utilities	(READ)	(RX) (R)
<Artologik installdir>/Artologik/stylesheets	(READ)	(RX) (R)
<Artologik installdir>/Artologik/templates	(READ)	(RX) (R)
<Artologik installdir>/pm/wwwroot	(READ)	(RX) (R)
<Artologik installdir>/pm/cgi-bin	(READ)	(RX) (RX)
<Artologik installdir>/pm/images	(READ)	(RX) (R)
<Artologik installdir>/pm/applets	(READ)	(RX) (R)
<Artologik installdir>/pm/stylesheets	(READ)	(RX) (R)
<Artologik installdir>/pm/templates	(READ)	(RX) (R)
<Artologik installdir>/pm/fonts	(READ)	(RX) (R)
<Artologik installdir>/pm/help	(READ)	(RX) (R)
<Artologik installdir>/pm/temp	(CHANGE)	(RWXD) (RWD)
<Artologik installdir>/pm/logs	(CHANGE)	(RWXD) (RWD)
<Artologik installdir>/pm/uploadfiles	(CHANGE)	(RWXD) (RWD)
<Artologik installdir>/pm/documents	(CHANGE)	(RWXD) (RWD)

<Artologik installdir> is the directory where Artologik was installed, default Webserver Internetlibrary.

The directory plugin only exists if you have any plugins installed.

-----

## Enclosure no 3

### Login Routines

Administrators can select different methods for giving the user access to the login function of the Artologik products. There are four alternative ways of handling the login procedure. You control this by making settings for the web server.

#### 1. Standard Login

When you install an Artologik program on a web server, the set-up program sets up a standard login procedure. This procedure is based on the assumption that the web server settings allow anonymous access. This means that the normal login procedure and user identification of Artologik is used. The Artologik user always gets a personal user name and password which are registered by the administrator. When you log in a unique and secret ID is created. This ID is used for as long as you are logged in. Every time you do something in the program, access is ensured through this secret ID. This is how it works when you, e.g. have a network with access for everyone, but you still want to limit access

to the Artologik product. If you want to offer access to the Artologik programs via the Internet, this is a good method with a high level of security.

## **2 .Standardlogin without product list**

If you are using one Artologik program, you will not need to use the page where you select a program after login. Do like this to skip the product list after login:

1. Open the file <Artologik installdir >\Artologik\wwwroot\default.htm where <Artologik installdir > is the folder where you installed your Artologik program.

2. Change “AGS\_Login.exe” to “AGS\_Login.exe?LaunchApp=<PRODUCT>”. Replace <PRODUCTS> with the product code of the program concerned. Please note that the system is sensitive to upper and lower case letters and that the brackets should not be used for the search path or the product code. Use one of the following application codes:

<b>Program</b>	<b>Application Code</b>
EZbooking	EZ
TIME	TIME
ProjectManager	PM
EmailResponse	EMR
HelpDesk	HD
Query&Report	QR
WebPublish	PUB

## **3. Login with Identification through Network Login ID**

The Artologik programs may be installed in a network where anonymous access is not allowed, and the user must log in with his/her user name and password to gain access. In this case, Artologik will take the user name and try to match it to Artologik’s list of registered user names. If this user name has not been registered, you end up at the normal login field where you can log in using the personal user name and password for this Artologik product. In this way, you will be able to raise security by having login in two stages with different user names, one for the network and one for Artologik. Having the same user name for Artologik as for the network is one way of making the procedure easier, since you are then only required to log in once. As in the former case, the administrator registers the user name and password. This routine requires Microsoft Internet Information Server, version 4 and that you have enabled server access with network identification.

## **4. Direct Access to the Programs**

If you want to use the Artologik programs as an integrated part of your web site, you can

create direct links to the programs by using the following formula for linking:

`http://www.domain.nu/artologik-mapp/cgi-bin/AGS_Login.exe?LaunchApp="applicationcode"`

Use the following application codes and insert them into the link above:

<b>Program</b>	<b>Application Code</b>
EZbooking	EZ
TIME	TIME
ProjectManager	PM
EmailResponse	EMR
HelpDesk	HD
Query&Report	QR
WebPublish	PUB

When you create direct links, you have to log in the first time you are going to enter the program. The browser will then keep your login ID until you have closed the program down completely. This means that you do not have to log in more than once per session. If you use network identification, you will be able to go straight into the program, without having to log in.